

INSTRUCTION MANUAL

CANMORE PIPE BAG



THE SHEPHERD WAY

R T SHEPHERD & SON (SCOTLAND) LTD. TEL. 44 + (0)1592 720130 / FAX 44 + (0)1592 721857
Email: aftersales@shepherd-bagpipes
www.shepherd-bagpipes.com

FITTING INSTRUCTIONS



Before operating the zip, lubricate with the grease provided. This reduces the pulling force required to open and close the zip, consequently preventing excessive pressure in and around the zip area.



Operating the Zip



To close: grasp bag firmly with left hand and pull toggle with other hand providing a smooth slide. The zip slide will click into place without the need for an extra tug.





To open: grasp inner bag firmly with right hand and pull toggle with other hand.

FITTING THE CHANTER STOCK


The chanter stock can be inserted through the zip opening or neck opening, and is secured using tying-in string as supplied.

Form a loop at one end of the twine.
Position the loop around the bag, then slip the twine through the loop.





Tightly wind the twine around the stock several times ensuring the position of twine is in the vicinity of the stock groove for extra leverage use a small piece of wood as shown.

After several winds, a "U" piece of twine is laid down parallel to the stock.



Apply a few more turns then thread the end of the twine through the "U" piece.
Yank the ends of the "U" piece pulling the twine all the way under the wrapping.
As with the other stocks for additional security wrap with the bonding tape supplied.



FITTING THE STOCKS



For lubrication purposes, smear a little washing up liquid on the inside of the elastic collars.



Feed the drone and blowpipe stocks through the zip opening.



By using a series of short sharp movements, push the stocks through the elastic collars to the desired depth (the groove in each stock should be just inside the bag as shown.) For additional security each collar should be wrapped with the bonding tape supplied.

